

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072



<p>IDENTITY <i>(As Used on Label and List)</i></p> <p>BAR KEEPERS FRIEND JUST N TIME TOUGH STAIN REMOVER</p>	<p>Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.</p>
---	--

Section I

<p>Manufacturer's Name SERVAAS LABORATORIES INC</p>	<p>Emergency Telephone Number 317-636-7766 OR 800-433-5818</p>
<p>Address <i>(Number, Street, City, State, and ZIP Code)</i></p> <p>1200 WATERWAY BLVD</p>	<p>Telephone Number for Information 317-636-7760 OR 800-433-5818</p> <p>Date Prepared JANUARY 1, 2007</p>
<p>INDIANAPOLIS IN 46202-2157</p>	<p>Signature of Preparer <i>(optional)</i></p>

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% <i>(optional)</i>
1-METHOXY 2-PROPANOL	100PPM 1,2			10-15%

Section III - Physical/Chemical Characteristics

Boiling Point APPROXIMATELY	212 F	Specific Gravity (H ₂ O = 1)	1.008
Vapor Pressure (mm Hg)	N/A	Melting Point	N/A
Vapor Density (AIR = 1)	> 1	Evaporation Rate (Butyl Acetate = 1)	< 1
Solubility in Water	COMPLETE		
Appearance and Odor	CLEAR, COLORLESS LIQUID WITH A FRESH AND CLEAN ODOR		

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) > 200 F	Flammable Limits N/A	LEL N/A	UEL N/A
Extinguishing Media	WATER FOG, DRY CHEMICAL, FOAM, CARBON DIOXIDE		
Special Fire Fighting Procedures	SELF-CONTAINED POSITIVE PRESSURE BREATHING		
APPARATUS AND PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING CHEMICALS			
Unusual Fire and Explosion Hazards	N/A		

Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable X		EXCESSIVE HEAT
Incompatibility (<i>Materials to Avoid</i>) CONTACT WITH STRONG OXIDIZING MATERIALS.			
Hazardous Decomposition or Byproducts		CARBON DIOXIDE AND CARBON MONOXIDE	
Hazardous Polymerization	May Occur		Conditions to Avoid NONE KNOWN
	Will Not Occur	X	

Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation? YES	Skin? YES	Ingestion? YES
Health Hazards (<i>Acute and Chronic</i>) EYES: MODERATE IRRITATION OR BURNING			
INHALATION: POSSIBLE IRRITATION TO NASAL PASSAGES			
SKIN CONTACT: MAY CAUSE IRRITATION			
Carcinogenicity:	NTP? NO	IARC NO	OSHA N/A
Signs and Symptoms of Exposure EYES: MODERATE IRRITATION OR BURNING. SKIN:			
MAY CAUSE IRRITATION. INHALATION: POSSIBLE IRRITATION TO NASAL PASSAGES.			
Medical Conditions Generally Aggravated by Exposure N/A			
Emergency and First Aid Procedures EYES: IMMEDIATELY IRRIGATE EYES WITH COOL FLOWING WATER CONTINUOUSLY FOR 15 MINUTES WHILE BLINKING EYELIDS. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. SKIN: IMMEDIATELY REMOVE CONTAMINATED CLOTHING. FLUSH SKIN THOROUGHLY WITH COOL WATER FOR 15 MINUTES. WASH SKIN WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION.			

**INHALATION: REMOVE VICTIM TO FRESH AIR. GET MEDICAL ATTENTION.
 INGESTION: DRINK 1 OR 2 CUPS OF MILK OR WATER. DO NOT INDUCE VOMITING.
 NEVER GIVE ANYTHING TO UNCONSCIOUS PERSON. GET MEDICAL ATTENTION.**

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled	CONTAIN SPILL.
Waste Disposal Method	WASTE TREATMENT AND/OR NEUTRALIZATION MAY BE REQUIRED PRIOR TO DISCHARGE TO A SEWER. FOLLOW ALL FEDERAL, STATE AND LOCAL REGULATIONS INCLUDING THOSE RELATED TO DISPOSAL OF CONTAINER.
Precautions to Be taken in Handling and Storing	STORE IN COOL, DRY AREA.
	KEEP CONTAINERS CLOSED WHEN NOT IN USE.
Other Precautions	DO NOT REPACKAGE. FOLLOW DIRECTIONS FOR USE ON PRODUCT LABEL. KEEP OUT OF REACH OF CHILDREN. STORE IN COOL DRY AREA.

Section VIII - Control Measures

Respiratory Protection (<i>Specify Type</i>) CONCENTRATION-IN-AIR DETERMINES PROTECTION NEEDED. USE ONLY NIOSH CERTIFIED RESPIRATORY PROTECTION. USUALLY NOT NEEDED UNLESS PRODUCT IS HEATED OR SEVERLY MISTED.		
Ventilation	Local Exhaust VENTILATE AS NEEDED TO COMPLY WITH EXPOSURE LIMITS, IF INDICATED.	Special
	Mechanical (<i>General</i>)	Other SET FORTH IN SECTION 2 "INGREDIENTS".
Protective Gloves	IMPERVIOUS GLOVES AND PROTECTIVE CLOTHING RECOMMENDED FOR PROLONGED CONTACT.	Eye Protection SAFETY GLASSES, GOGGLES OR FACE SHIELD.
Other Protective Clothing or Equipment	EYEWASH STATIONS AND SAFETY SHOWERS RECOMMENDED NEAR WORK AREA.	
Work/Hygienic Practices	FOLLOW ALL PROTECTIVE INFORMATION.	